



Elite Series

DAMIER

TOOLS

Professional Heavy Duty Tools



**CORDLESS
IS THE
FUTURE**

2026

CATALOGUE

**The tools which would teach men
Their own use would be beyond price**



Our Mission & Vision

Renu Trexim Private Limited, located in Delhi was established in 2010. Within a short span of 16 years, with continual innovation and dedicated pursuit of quality, our company has earned excellent reputation and built a strong foundation in the power tools industry. The superiority of our company is the research and development centre in China dedicated towards better understanding of the products, extensive customer insight and enhancing the product quality. Each and every product pass through quality testing process before its dispatch.

We provide a full range of power tools viz. Marble Cutter, Grinders, Cutt-Off Machines, Drill Machines etc. We have also established partnership with distributors across the country. We cater to the customer needs by providing unparalleled after sales service.

The Managing Director of the company, through his rich experience in marketing leads the team to deliver long term value to the stakeholders. We have a vision of being at the forefront of the industry by delivering superior tools. Through our relentless efforts we shall strive to provide high quality products with competitive prices to our customer segment.



POWER | PRECISION | PERFORMANCE

PROFESSIONAL POWER TOOLS

MITER SAW

EMS-8112

Elite Series

1040 MODEL

Blade Diameter : 255 MM
Rated Input Power : 1850 W
No-Load Speed : 4600 RPM
Voltage/Frequency : 220V~50Hz



MITER SAW

EMS-8113

Elite Series

SLIDING MITER SAW

Blade Diameter : 255 MM
Rated Input Power : 2000 W
No-Load Speed : 6000 RPM
Voltage/Frequency : 220V~50Hz



MITER SAW

EMS-8117

Elite Series

GEAR DRIVEN

Blade Diameter : 355 MM
Rated Input Power : 2400 W
No-Load Speed : 4200 RPM
Voltage/Frequency : 220V~50Hz



MITER SAW

EMS-8118

Elite Series

Blade Diameter : 305 MM
Rated Input Power : 2250 W
No-Load Speed : 4300 RPM
Voltage/Frequency : 220V~50Hz



MITER SAW

EMS-8119

Elite Series

BELT DRIVEN

Blade Diameter : 305 MM
Rated Input Power : 2250 W
No-Load Speed : 4500 RPM
Voltage/Frequency : 220V~50Hz



MITER SAW

EMS-8120

Elite Series

Blade Diameter : 255 MM
Rated Input Power : 2150 W
No-Load Speed : 4600 RPM
Voltage/Frequency : 220V~50Hz



CUT-OFF MACHINE

COM-8107

Elite Series
WITH SOFT START

Wheel Size : 355 MM
Rated Input Power : 2800 W
No-Load Speed : 3800 RPM
Voltage/Frequency : 220V~50Hz



ANGLE GRINDER

AG-8217

Elite Series

Disc Diameter : 180 MM
Rated Input Power : 2800 W
No-Load Speed : 8500 RPM
Voltage/Frequency : 220V~50Hz



ANGLE GRINDER

AG-8221

Elite Series
REAR SWITCH

Disc Diameter : 100 MM
Rated Input Power : 1400 W
No-Load Speed : 13000 RPM
Voltage/Frequency : 220V~50Hz



ANGLE GRINDER

AG-8222

Elite Series

Disc Diameter : 100 MM
Rated Input Power : 1150 W
No-Load Speed : 11000 RPM
Voltage/Frequency : 220V~50Hz



MARBLE CUTTER

MC-8303

Elite Series

Blade Diameter : 125 MM
Rated Input Power : 2100 W
No-Load Speed : 12000 RPM
Voltage/Frequency : 220V~50Hz



MARBLE CUTTER

MC-8307

Elite Series

Blade Diameter : 180 MM
Rated Input Power : 2450 W
No-Load Speed : 5000 RPM
Voltage/Frequency : 220V~50Hz



MARBLE CUTTER

MC-8311

Elite Series

Blade Diameter : 125 MM
Rated Input Power : 2000 W
No-Load Speed : 13000 RPM
Voltage/Frequency : 220V~50Hz



MARBLE CUTTER

MC-8312

Elite Series

Blade Diameter : 110 MM
Rated Input Power : 1350 W
No-Load Speed : 12800 RPM
Voltage/Frequency : 220V~50Hz



MARBLE CUTTER

MC-8313

Elite Series



Blade Diameter : 115 MM
Rated Input Power : 1600 W
No-Load Speed : 14000 RPM
Voltage/Frequency : 220V~50Hz

MARBLE CUTTER

MC-8314 W

Elite Series

WOOD BASE PLATE



Blade Diameter : 125 MM
Rated Input Power : 1850 W
No-Load Speed : 14000 RPM
Voltage/Frequency : 220V~50Hz

MARBLE CUTTER

MC-8315 S

Elite Series

STONE BASE PLATE



Blade Diameter : 125 MM
Rated Input Power : 1850 W
No-Load Speed : 14000 RPM
Voltage/Frequency : 220V~50Hz

ROTARY HAMMER

RH-8404

Elite Series

LEFT - RIGHT FUNCTION



Drill Capacity : 20 MM
Rated Input Power : 1200 W
No-Load Speed : 1000 RPM
Voltage/Frequency : 220V~50Hz

ROTARY HAMMER

RH-8405

Elite Series

THREE + REVERSE FUNCTION



Drill Capacity : 20 MM
Rated Input Power : 700 W
No-Load Speed : 1400 RPM
Voltage/Frequency : 220V~50Hz

ROTARY HAMMER

RH-8406

Elite Series



Drill Capacity : 28 MM
Rated Input Power : 1250 W
No-Load Speed : 1300 RPM
Voltage/Frequency : 220V~50Hz

ROTARY HAMMER

RH-8410

Elite Series



Impact Energy : 3.5 J
Drill Capacity : 26 MM
Rated Input Power : 1100 W
No-Load Speed : 1200 RPM
Voltage/Frequency : 220V~50Hz

ROTARY HAMMER

RH-8411

Elite Series



Impact Energy : 4.5 J
Impact Rate : 4300 BPM
Rated Input Power : 1200 W
No-Load Speed : 900 RPM
Voltage/Frequency : 220V~50Hz

DEMOLITION HAMMER

DH-8603

Elite Series

24 KG HAMMER



Impact Energy : 70 J
Rated Input Power : 1850 W
Rated Impact Rate : 1900 BPM
Voltage/Frequency : 220V~50Hz

DEMOLITION HAMMER

DH-8605

Elite Series



Rated Input Power : 2100 W
Rated Impact Rate : 900-1890 BPM
Voltage/Frequency : 220V~50Hz

DEMOLITION HAMMER

DH-8611

Elite Series

WITH 18x320 SDS



Impact Energy : 20 J
Rated Input Power : 1600 W
Rated Impact Rate : 3900 BPM
Voltage/Frequency : 220V~50Hz

DEMOLITION HAMMER

DH-8613

Elite Series

HEX MODEL



Impact Energy : 20 J
Rated Input Power : 1350 W
Rated Impact Rate : 3600 BPM
Voltage/Frequency : 220V~50Hz

IMPACT DRILL

EID-8720

Elite Series



Drill Capacity : 13 MM
Rated Input Power : 750 W
No-Load Speed : 3000 RPM
Voltage/Frequency : 220V~50Hz

ELECTRIC DRILL

ED-8725

Elite Series

LEFT - RIGHT FUNCTION



Drill Capacity : 10 MM
Rated Input Power : 600 W
No-Load Speed : 3000 RPM
Voltage/Frequency : 220V~50Hz

DIAMOND CORE DRILL

CD-8721

Elite Series



Drill Capacity : 130 MM
Rated Input Power : 1800 W
No-Load Speed : 2100 RPM
Voltage/Frequency : 220V~50Hz

DIAMOND CORE DRILL

CD-8722

Elite Series

BEST PERFORMANCE IN

- 200mm Concrete &
- 230mm Brick wall



Drill Capacity : 230 MM
Rated Input Power : 3500 W
No-Load Speed : 700 RPM
Voltage/Frequency : 220V~50Hz

DIAMOND CORE DRILL

CD-8729

Elite Series

BEST PERFORMANCE IN

- 250mm Concrete &
- 300mm Brick wall

Drill Capacity : 300 MM
Rated Input Power : 3750 W
No-Load Speed : 500 RPM
Voltage/Frequency : 220V~50Hz



IMPACT WRENCH

EIW-8719

Elite Series

Max Torque : 450 N.M.
Rated Input Power : 1100 W
No-Load Speed : 2200 RPM
Voltage/Frequency : 220V~50Hz



ELECTRIC PLANER

EP-8805

Elite Series

Planing Width/Depth : 82x2 MM
Rated Input Power : 710 W
No-Load Speed : 16000 RPM
Voltage/Frequency : 220V~50Hz



ELECTRIC PLANER

EP-8808

Elite Series

Planing Width/Depth : 82x2 MM
Rated Input Power : 800 W
No-Load Speed : 16000 RPM
Voltage/Frequency : 220V~50Hz



WALL CHASER

WC-9204

Elite Series

Disc Diameter : 133 MM
Rated Input Power : 2800 W
No-Load Speed : 7000 RPM
Voltage/Frequency : 220V~50Hz



CIRCULAR SAW

CS-9209

Elite Series

Blade Size : 235 MM
Rated Input Power : 1700 W
No-Load Speed : 4100 RPM
Voltage/Frequency : 220V~50Hz



CIRCULAR SAW

CS-9210

Elite Series

Blade Size : 185 MM
Rated Input Power : 1400 W
No-Load Speed : 6000 RPM
Voltage/Frequency : 220V~50Hz



CIRCULAR SAW

CS-9211

Elite Series

Blade Size : 305 MM
Rated Input Power : 2750 W
No-Load Speed : 3000 RPM
Voltage/Frequency : 220V~50Hz



WALL SANDER

WS-9306

Elite Series



Disc Diameter : 180 MM
Rated Input Power : 1100 W
No-Load Speed : 2100 RPM
Voltage/Frequency : 220V~50Hz

ELECTRIC VIBRATOR

EVB-9404

Elite Series



Needle Length : 6 MTR. / 50 MM
Rated Input Power : 2700 W
No-Load Speed : 4000 RPM
Voltage/Frequency : 220V~50Hz

WET & DRY VACUUM CLEANER

EVC-2923

Elite Series

WITH METAL PIPE



35L



Rated Input Power : 1600 W
Voltage/Frequency : 220V~50Hz

WET & DRY VACUUM CLEANER

EVC-2924

Elite Series

WITH METAL PIPE



25L



Rated Input Power : 1600 W
Voltage/Frequency : 220V~50Hz

WET & DRY VACUUM CLEANER

EVC-2972

Elite Series

WITH TWO MOTORS

70L



Rated Input Power : 2x1600 W
Voltage/Frequency : 220V~50Hz

WET & DRY VACUUM CLEANER

EVC-2982

WITH TWO MOTORS

EVC-2983

WITH THREE MOTORS

Elite Series

80L



Rated Input Power : 2x1600 W
Voltage/Frequency : 220V~50Hz

GASOLINE BRUSH CUTTER

GBC-9602



Displacement : 52 CC
Engine Stroke : 2
Working Pole Length : 1650 MM
Rated Output Power : 1.45 KW
Blade Diameter : 255 MM

Elite Series

GASOLINE BRUSH CUTTER

GBC-9604




Displacement : 35 CC
Engine Stroke : 4
Working Pole Length : 1650 MM
Rated Output Power : 1.2 KW
Blade Diameter : 255 MM

Elite Series

PRESSURE WASHER

PP-2911

Elite Series




Working Pressure : 100 BAR
Rated Input Power : 2500 W
No-Load Speed : 2800 RPM
Water Flow : 390 L/H
Water Temperature : 40°C
Repellent Level : IPX5
Voltage/Frequency : 220V~50Hz



PRESSURE WASHER

PP-2916

Elite Series



Working Pressure : 90 BAR
Rated Input Power : 2300 W
No-Load Speed : 2800 RPM
Water Flow : 390 L/H
Water Temperature : 40°C
Repellent Level : IPX5
Voltage/Frequency : 220V~50Hz



GASOLINE CHAIN SAW

GCS-9522

Elite Series



Displacement : 58 CC
Engine Stroke : 2 (Air-Cooled)
Rated Output Power : 2.6 KW
Oil/Gasoline Mixing Ratio : 1:25
Chain Bar Length : 22"



DAMIER

CORDLESS POWER TOOLS

CORDLESS GRINDER

CAG-8208 N

Elite Series
BRUSHLESS MOTOR



Voltage : 20 V
Battery Capacity : 4.0 AH
Disc Diameter : 125 MM
No-Load Speed : 9600 RPM

CORDLESS HAMMER

CRH-8407

Elite Series
BRUSHLESS MOTOR



Voltage : 20 V
Battery Capacity : 4.0 AH
Impact Energy : 3 J
Drill Capacity : 26 MM
No-Load Speed : 950 RPM
Impact Rate : 4700 RPM

CORDLESS IMPACT DRIVER

CID-8724

Elite Series
BRUSHLESS MOTOR



Voltage : 12 V
Battery Capacity : 2.0 AH
Max Drilling Dia : 10 MM
Max Torque : 130 N.m

CORDLESS IMPACT WRENCH

CIW-8726

Elite Series
BRUSHLESS MOTOR

SAMSUNG Cells



Voltage : 20 V
Battery Capacity : 4.0 AH
Max Drilling Dia : 13 MM
Max Torque : 450 N.m

CORDLESS IMPACT WRENCH

CIW-8727

Elite Series
BRUSHLESS MOTOR



Voltage : 20 V
Battery Capacity : 4.0 AH
Max Impact : 0-3000 IPM
No-Load Speed : 0-2400 RPM
Max Torque : 550 N.M.

CORDLESS SCREWDRIVER

CSD-8728

Elite Series
BRUSHLESS MOTOR

WITH KIT



Voltage : 21 V
Battery Capacity : 2.0 AH
Max Drilling Dia : 13 MM
Max Impact : 0-30000 IPM
Max Torque : 70 N.M.

CORDLESS DRILL

CSD-8716 N



Voltage : 12 V
Battery Capacity : 1.5 AH
Max Drilling Dia : 10 MM
Max Torque : 30 N.M.
No-Load Speed : 0-350/0-1250 RPM

CORDLESS DRILL

CSD-8718 N

IMPACT FUNCTION



Voltage : 21 V
Battery Capacity : 1.5 AH
Max Drilling Dia : 10 MM
Max Torque : 35 N.M.
No-Load Speed : 0-350/0-1300 RPM

CORDLESS BLOWER

CBL-8506



Voltage : 20 V
Battery Capacity : 4.0 AH
Air Circulation Rate : 2.8 M³/S
No-Load Speed : 17000 RPM
Air Speed : 0-10 M/S

BATTERY WASHER

PP-2913



0.6 MPA - 2.6 MPA
Lithium Battery
Max 22V

TILE PAVING MACHINE

CTM-9304



Voltage : 21 V
Battery Capacity : 1.5 AH
Suction Cup : 145 MM

TILE PAVING MACHINE

CTM-9307



Voltage : 21 V
Battery Capacity : 1.5 AH
Suction Cup : 160 MM

CORDLESS CABLE MACHINE

CCM-9305



Voltage : 21 V
Battery Capacity : 2.0 AH

DAMIER

WELDING MACHINES

WELDING MACHINE

WM-2932

Elite Series

WITH DUAL CARD

Technology	: IGBT
Ampere	: 200 A
Phase	: Single
Suitable Rod Size	: 3.2 MM
Weight (KG)	: 3.8
Accessories	: Mask, Brush, 6 M Cable
Duty Cycle	: >60%



WELDING MACHINE

WM-2933

Elite Series

WITH DUAL CARD

Technology	: IGBT
Ampere	: 250 A
Phase	: Single
Suitable Rod Size	: 3.2 - 4 MM
Weight (KG)	: 4.4
Accessories	: Mask, Brush, 6 M Cable
Duty Cycle	: >60%



WELDING MACHINE

WM-2936

Elite Series

RICHIP GERMAN TECHNOLOGY

Technology	: IGBT Inverter
Ampere	: 210 A
Phase	: Single
Suitable Rod Size	: 3.2 MM
Accessories	: Holder With Cable (1.8 M + 1.2 M)
Duty Cycle	: >60%



WELDING MACHINE

WM-2937

Elite Series

RICHIP GERMAN TECHNOLOGY

Technology	: IGBT Inverter
Ampere	: 260 A
Phase	: Single
Suitable Rod Size	: 3.2 - 4 MM
Accessories	: Holder With Cable (1.8 M + 1.2 M)
Duty Cycle	: >60%



WELDING MACHINE

WM-2938 SD

Elite Series

RICHIP GERMAN TECHNOLOGY

Technology	: IGBT Inverter
Ampere	: 210 A / 250 A
Phase	: Single / Two
Suitable Rod Size	: 3.2 MM
Accessories	: Holder With Cable (1.8 M + 1.2 M)
Duty Cycle	: >60%



WELDING MACHINE

WM-2939 SD

Elite Series

RICHIP GERMAN TECHNOLOGY

Technology	: IGBT Inverter
Ampere	: 280 A / 300 A
Phase	: Single / Two
Suitable Rod Size	: 3.2 - 4 MM
Accessories	: Holder With Cable (1.8 M + 1.2 M)
Duty Cycle	: >60%



WELDING MACHINE

MIG-2943 S

Elite Series

RICHIP GERMAN TECHNOLOGY

MIG / MMA

Technology	: IGBT Inverter
Ampere	: 250 A
Phase	: Single
Wire Size	: 0.8 - 1 MM
Accessories	: Holder With Cable (1.8 M + 1.2 M)
Duty Cycle	: >60%



WELDING MACHINE

WM-2944

Elite Series



Technology	: IGBT Inverter
Ampere	: 415 A
Phase	: Three
Suitable Wire Size	: 4 & 5 MM
Duty Cycle	: >60%

WELDING MACHINE

MIG-2945

Elite Series

RICHIP GERMAN TECHNOLOGY



Technology	: IGBT Inverter
Ampere	: 210 A
Phase	: Single
Wire Size	: 0.8 - 1 MM
Accessories	: Holder With Cable (1.8 M + 1.2 M)
Duty Cycle	: >60%

WELDING MACHINE

MIG-2941

WITH EXTERNAL UNIT

MIG / MMA



Technology	: IGBT
Ampere	: 400 A
Phase	: Three
Wire Size	: 1 - 1.2 MM
Weight (KG)	: 22.2
Accessories	: Mask, Brush, 6 M Cable
Duty Cycle	: >50%

WELDING MACHINE

WM-29400



Technology	: IGBT
Ampere	: 400 A
Phase	: Single
Suitable Rod Size	: 3.2 - 4mm
Weight (KG)	: 10.1
Accessories	: Mask, Brush, 6m Cable
Duty Cycle	: >50%

WELDING MACHINE

WM-29415



Technology	: IGBT
Ampere	: 415 A
Phase	: Three
Suitable Rod Size	: 3.2 - 4 MM
Weight (KG)	: 12.2
Accessories	: Mask, Brush, 6 M Cable
Duty Cycle	: >50%

WELDING MACHINE

WM-29500



Technology	: IGBT
Ampere	: 500 A
Phase	: Three
Suitable Rod Size	: 3.2 - 5 MM
Weight (KG)	: 16.7
Accessories	: Mask, Brush, 6 M Cable
Duty Cycle	: >50%

WELDING MACHINE

WM-29600



Technology	: IGBT
Ampere	: 600 A
Phase	: Three
Suitable Rod Size	: 3.2 - 5 MM
Weight (KG)	: 18.5
Accessories	: Mask, Brush, 6 M Cable
Duty Cycle	: >50%

WELDING MACHINE

WM-2928

TIG FOR SS



Technology	: IGBT
Ampere	: 250 A
Phase	: Single
Suitable Rod Size	: 3.2 MM
Weight (KG)	: 6.1
Accessories	: Mask, Brush, 6 M Cable
Duty Cycle	: >50%



DAMIER

PROFESSIONAL POWER TOOLS

ANGLE GRINDER

AG-8202



Disc Diameter : 100 MM
Rated Input Power : 800 W
No-Load Speed : 11000 RPM
Voltage/Frequency : 220V~50Hz

ANGLE GRINDER

AG-8205



Disc Diameter : 125 MM
Rated Input Power : 1400 W
No-Load Speed : 10000 RPM
Voltage/Frequency : 220V~50Hz

ANGLE GRINDER

AG-8215



Disc Diameter : 100 MM
Rated Input Power : 1050 W
No-Load Speed : 11000 RPM
Voltage/Frequency : 220V~50Hz

ANGLE GRINDER

AG-8223



Disc Diameter : 125 MM
Rated Input Power : 1350 W
No-Load Speed : 11000 RPM
Voltage/Frequency : 220V~50Hz

ANGLE GRINDER

AG-8224

SIDE SWITCH



Disc Diameter : 100 MM
Rated Input Power : 1100 W
No-Load Speed : 11000 RPM
Voltage/Frequency : 220V~50Hz

ANGLE GRINDER

AG-8225

REAR SWITCH



Disc Diameter : 100 MM
Rated Input Power : 1100 W
No-Load Speed : 11000 RPM
Voltage/Frequency : 220V~50Hz

BENCH GRINDER

BG-8211

100% COPPER WINDING



Stone Size : 150x16x12.7 MM
Rated Input Power : 200 W
No-Load Speed : 2950 RPM
Voltage/Frequency : 220V~50Hz

BENCH GRINDER

BG-8212

100% COPPER WINDING



Stone Size : 150x16x12.7 MM
Rated Input Power : 300 W
No-Load Speed : 2950 RPM
Voltage/Frequency : 220V~50Hz

BENCH GRINDER

BG-8213

100% COPPER WINDING



Stone Size : 200x20x32 MM
Rated Input Power : 400 W
No-Load Speed : 2950 RPM
Voltage/Frequency : 220V~50Hz

MARBLE CUTTER

MC-8301



Blade Diameter : 110 MM
Rated Input Power : 1200 W
No-Load Speed : 14000 RPM
Voltage/Frequency : 220V~50Hz

MARBLE CUTTER

MC-8301 N



Blade Diameter : 110 MM
Rated Input Power : 1400 W
No-Load Speed : 12000 RPM
Voltage/Frequency : 220V~50Hz

MARBLE CUTTER

MC-8305



Blade Diameter : 125 MM
Rated Input Power : 1550 W
No-Load Speed : 14000 RPM
Voltage/Frequency : 220V~50Hz

ROTARY HAMMER

RH-8401



Impact Energy : 1.7 J
Drill Capacity : 20 MM
Rated Input Power : 700 W
No-Load Speed : 1000 RPM
Voltage/Frequency : 220V~50Hz

ROTARY HAMMER

RH-8402



Impact Energy : 3 J
Drill Capacity : 26 MM
Rated Input Power : 1050 W
No-Load Speed : 1000 RPM
Voltage/Frequency : 220V~50Hz

CUT-OFF MACHINE

COM-8101 N

Wheel Size : 355 MM
Rated Input Power : 2000 W
No-Load Speed : 3800 RPM
Voltage/Frequency : 220V~50Hz



ELECTRIC BLOWER

BL-8503

VARIABLE SPEED

Air Circulation Rate : 2.5 M³/S
Rated Input Power : 550 W
No-Load Speed : 13000 RPM
Voltage/Frequency : 220V~50Hz



ELECTRIC BLOWER

BL-8504

EBC-40 TYPE



Air Circulation Rate : 3.5 M³/S
Rated Input Power : 600 W
No-Load Speed : 13500 RPM
Voltage/Frequency : 220V~50Hz



ELECTRIC BLOWER

BL-8505

VACUUM BLOWER

Air Circulation Rate : 3.5 M³/S
Rated Input Power : 650 W
No-Load Speed : 16000 RPM
Voltage/Frequency : 220V~50Hz



DEMOLITION HAMMER

DH-8601

Impact Energy : 45 J
Rated Input Power : 1600 W
Rated Impact Rate : 1800 BPM
Voltage/Frequency : 220V~50Hz



DEMOLITION HAMMER

DH-8602

Impact Energy : 12 J
Rated Input Power : 1100 W
Rated Impact Rate : 3000 BPM
Voltage/Frequency : 220V~50Hz



DEMOLITION HAMMER

DH-8612

Impact Energy : 15 J
Rated Input Power : 1250 W
Rated Impact Rate : 3700 BPM
Voltage/Frequency : 220V~50Hz



DEMOLITION HAMMER

DH-11E

Impact Energy : 6-25 J
Rated Input Power : 1650 W
Rated Impact Rate : 2250 BPM
Voltage/Frequency : 220V~50Hz



ELECTRIC DRILL

ED-8701

LEFT - RIGHT
FUNCTION



Drill Capacity : 10 MM
Rated Input Power : 550 W
No-Load Speed : 2600 RPM
Voltage/Frequency : 220V~50Hz

ELECTRIC DRILL

ED-8702



Drill Capacity : 6.5 MM
Rated Input Power : 300 W
No-Load Speed : 4500 RPM
Voltage/Frequency : 220V~50Hz

ELECTRIC DRILL

ED-8705 N

34 MM ARMATURE



Drill Capacity : 10 MM
Rated Input Power : 410 W
No-Load Speed : 2600 RPM
Voltage/Frequency : 220V~50Hz

ELECTRIC DRILL

ED-8710

DU 10 DRILL



Rated Input Power : 700 W
No-Load Speed : 2800 RPM
Voltage/Frequency : 220V~50Hz

SCREW DRIVER

EDS-8706



Drill Capacity : 10 MM
Rated Input Power : 350 W
No-Load Speed : 800 RPM
Voltage/Frequency : 220V~50Hz

SCREW DRIVER

EDS-8707



Drill Capacity : 10 MM
Rated Input Power : 400 W
No-Load Speed : 350 RPM
Voltage/Frequency : 220V~50Hz

SCREW DRIVER

EDS-8712



Drill Capacity : 10 MM
Rated Input Power : 400 W
No-Load Speed : 750 RPM
Voltage/Frequency : 220V~50Hz

IMPACT DRILL

EID-8713



Drill Capacity : 13 MM
Rated Input Power : 600 W
No-Load Speed : 2800 RPM
Voltage/Frequency : 220V~50Hz

HEAT GUN

EHG-8704



Rated Input Power : 2100 W
Temperature : 220°C / 650°C
Air Flow : 300L / 550L/min
Voltage/Frequency : 220V~50Hz

HEAT GUN

EHG-8714



Rated Input Power : 2000 W
Temperature : 400°C / 550°C
Air Flow : 350L / 600L/min
Voltage/Frequency : 220V~50Hz

SPRAY GUN

ESG-8708

WITH TWO NOZZLES



Nozzle : 2 MM / 2.5 MM
Flow Rate : 650 ML/MIN
Container Volume : 1000 ML
Max. Viscosity : 80 DIN/SEC
Rated Input Power : 800 W
No-Load Speed : 32000 RPM
Voltage/Frequency : 220V~50Hz

SPRAY GUN

ESG-8715



Nozzle : 2.5 MM
Flow Rate : 650 ML/MIN
Container Volume : 800 ML
Max. Viscosity : 40 DIN/SEC
Rated Input Power : 700 W
No-Load Speed : 32000 RPM
Voltage/Frequency : 220V~50Hz

ELECTRIC PLANER

EP-8801



Planing Width/Depth : 82x1 MM
Rated Input Power : 550 W
No-Load Speed : 15000 RPM
Voltage/Frequency : 220V~50Hz

ELECTRIC PLANER

EP-8803



Planing Width/Depth : 82x1 MM
Rated Input Power : 500 W
No-Load Speed : 15000 RPM
Voltage/Frequency : 220V~50Hz

ELECTRIC ROUTER

ER-9101



Collet Size : 12 MM
Rated Input Power : 1850 W
No-Load Speed : 23000 RPM
Voltage/Frequency : 220V~50Hz

ELECTRIC ROUTER

ER-9102



Collet Size : 12 MM
Rated Input Power : 1500 W
No-Load Speed : 22000 RPM
Voltage/Frequency : 220V~50Hz

CONCRETE CUTTER

SC-9203



Blade Size : 355 MM
Rated Input Power : 4000 W
No-Load Speed : 4800 RPM
Voltage/Frequency : 220V~50Hz

CONCRETE CUTTER

SC-9205



Blade Size : 410 MM
Rated Input Power : 4500 W
No-Load Speed : 3900 RPM
Voltage/Frequency : 220V~50Hz

CONCRETE RING SAW

RS-9206

ALSO SUITABLE WITH
520 & 600 MM BLADE



Blade Size : 410 MM
Rated Input Power : 6200 W
No-Load Speed : 2300 RPM
Voltage/Frequency : 220V~50Hz

ELECTRIC POLISHER

EPL-8901



Disc Diameter : 180 MM
Rated Input Power : 1400 W
No-Load Speed : 2300 RPM
Voltage/Frequency : 220V~50Hz

ELECTRIC VIBRATOR

EVB-9402



Needle Length : 1.5 MTR. / 2 MTR.
Rated Input Power : 1250 W
No-Load Speed : 4500 RPM
Voltage/Frequency : 220V~50Hz

ELECTRIC VIBRATOR

EVB-9403



Needle Length : 3 MTR. / 35-50 MM
Rated Input Power : 2000 W
No-Load Speed : 4500 RPM
Voltage/Frequency : 220V~50Hz

JIG SAW

JS-9302



Cutting Size : 70 MM
Rated Input Power : 750 W
No-Load Speed : 3000 RPM
Voltage/Frequency : 220V~50Hz

WET & DRY VACUUM CLEANER

EVC-2920

20L

Rated Input Power : 1000 W
Voltage/Frequency : 220V~50Hz



WET & DRY VACUUM CLEANER

EVC-2925

25L

Rated Input Power : 1400 W
Voltage/Frequency : 220V~50Hz



WET & DRY VACUUM CLEANER

EVC-2960

60L

Rated Input Power : 1400 W
Voltage/Frequency : 220V~50Hz



WET & DRY VACUUM CLEANER

EVC-2961

DOUBLE FAN MOTOR

60L

Rated Input Power : 1700 W
Voltage/Frequency : 220V~50Hz



WET & DRY VACUUM CLEANER

EVC-2962

WITH TWO MOTORS

60L

Rated Input Power : 2x1400 W
Voltage/Frequency : 220V~50Hz



GASOLINE CHAIN SAW

GCS-9507

Displacement : 58 CC
Engine Stroke : 2 (Air-Cooled)
Rated Output Power : 2.5 KW
Oil/Gasoline Mixing Ratio : 1:25
Chain Bar Length : 22"



GASOLINE CHAIN SAW

GCS-9508

Displacement : 62 CC
Engine Stroke : 2 (Air-Cooled)
Rated Output Power : 2.5 KW
Oil/Gasoline Mixing Ratio : 1:25
Chain Bar Length : 22"



ELECTRIC CHAIN SAW

ECS-9503

Chain Bar Length : 405 MM (16")
Rated Input Power : 1600 W
No-Load Speed : 400 RPM
Voltage/Frequency : 220V~50Hz



ELECTRIC CHAIN SAW

ECS-9516

Chain Bar Length : 405 MM (16")
Rated Input Power : 1300 W
No-Load Speed : 400 RPM
Voltage/Frequency : 220V~50Hz



ELECTRIC CHAIN SAW

ECS-9517



Chain Bar Length : 550 MM (22")
Rated Input Power : 2700 W
No-Load Speed : 400 RPM
Voltage/Frequency : 220V~50Hz

EARTH AUGER

GEA-9611



Displacement : 65 CC
Rated Input Power : 2700 W
No-Load Speed : 3000 RPM
Fuel Tank Capacity : 950 ML
Max Ratio : 25:1

PAINT MIXER

EPM-2915



Rated Input Power : 800 W
No-Load Speed : 550 RPM
Voltage/Frequency : 220V~50Hz

AIR COMPRESSOR

DAC-2905

OIL-FREE COMPRESSOR



Tank Capacity : 12 LTR.
Rated Input Power : 1150 W
Air Pressure : 65 L/MIN
Working Pressure : 8 BAR
Cylinder : Ø57.8mm*2
Voltage/Frequency : 220V~50Hz

AIR COMPRESSOR

DAC-2906

OIL-FREE COMPRESSOR



Tank Capacity : 30 LTR.
Rated Input Power : 1300 W
Air Pressure : 65 L/MIN
Working Pressure : 8 BAR
Cylinder : Ø57.8mm*2
Voltage/Frequency : 220V~50Hz

AIR COMPRESSOR

DAC-2907

OIL-FREE COMPRESSOR



Tank Capacity : 50 LTR.
Rated Input Power : 1950 W
Air Pressure : 105 L/MIN
Working Pressure : 8 BAR
Cylinder : Ø63.7mm*2
Voltage/Frequency : 220V~50Hz

AIR COMPRESSOR

DAC-2908



Tank Capacity : 30 LTR.
Rated Input Power : 2.5 HP
Air Pressure : 185 L/MIN
Working Pressure : 8 BAR
Cylinder : Ø47mm*1
Voltage/Frequency : 220V~50Hz

AIR COMPRESSOR

DAC-2910



Tank Capacity : 50 LTR.
Rated Input Power : 3.0 HP
Air Pressure : 185 L/MIN
Working Pressure : 8 BAR
Cylinder : Ø47mm*1
Voltage/Frequency : 220V~50Hz

PRESSURE WASHER

PP-2901

ALUMINIUM HEAD



Working Pressure : 150 BAR
Rated Input Power : 2500 W
No-Load Speed : 2800 RPM
Water Flow : 495 L/H
Voltage/Frequency : 220V~50Hz



PRESSURE WASHER

PP-2902

BRASS HEAD



Working Pressure : 160 BAR
Rated Input Power : 2500 W
No-Load Speed : 2800 RPM
Water Flow : 495 L/H
Voltage/Frequency : 220V~50Hz



PRESSURE WASHER

PP-2912



Working Pressure : 110 BAR
Rated Input Power : 2100 W
Water Flow : 390 L/H
Water Temperature : 40°C
Repellent Level : IPX5
Voltage/Frequency : 220V~50Hz



PRESSURE WASHER

PP-2914



Working Pressure : 120 BAR
Max Pressure : 150 KG/MIN
Rated Input Power : 2500 W
Water Flow : 16 L/MIN
Voltage/Frequency : 220V~50Hz



DAMIER

POWER TOOLS

ANGLE GRINDER

AG-8001



Disc Diameter : 100 MM
Rated Input Power : 950 W
No-Load Speed : 11000 RPM
Voltage/Frequency : 220V~50Hz

ANGLE GRINDER

AG-8002



Disc Diameter : 100 MM
Rated Input Power : 850 W
No-Load Speed : 11000 RPM
Voltage/Frequency : 220V~50Hz

MARBLE CUTTER

MC-8011



Disc Diameter : 110 MM
Rated Input Power : 1150 W
No-Load Speed : 11000 RPM
Voltage/Frequency : 220V~50Hz

MARBLE CUTTER

MC-8012



Disc Diameter : 110 MM
Rated Input Power : 1300 W
No-Load Speed : 11000 RPM
Voltage/Frequency : 220V~50Hz

ROTARY HAMMER

RH-8020



Drill Capacity : 20 MM
Rated Input Power : 650 W
No-Load Speed : 12000 RPM
Voltage/Frequency : 220V~50Hz

ROTARY HAMMER

RH-8026



Drill Capacity : 26 MM
Rated Input Power : 950 W
No-Load Speed : 12000 RPM
Voltage/Frequency : 220V~50Hz

SPARE PARTS & ACCESSORIES

ARMATURES & COIL




GEAR SETS



GEAR BOXES



AB-WASHERS



CARBON BRUSHES



NUT SETTER

8x48

8x65



SCREWDRIVER BIT

PH 2x65

PH 2x110



CHISELS



DRILL CHUCK KEY



SDS ADAPTOR



DRILL CHUCKS



JT-6
JT-6 13/16 UNF
6.5 MM/24 UNF

10 MM/24 UNF | 10 MM/20 UNF
13 MM/20 UNF | 13 MM/24 UNF

WELDING CABLES



16 SQ. MM

25 SQ. MM

35 SQ. MM


50 SQ. MM

ELECTRODE WELDING HOLDER

AMP-600



HAMMER DRILL BITS



Available Sizes
• 5x110 to 25x460

CHAIN BAR



PLANER BELT & PLANER BLADE



SAW CHAIN



VIBRATOR SHAFT



Available Sizes
• 1.5m x 35mm • 1m x 35mm
• 3m x 35mm • 6m x 50mm
• 3m x 50mm

EARTH AUGER BITS

Available Sizes
• 800x100mm
• 800x150mm
• 800x200mm
• 800x250mm
• 800x300mm



TWO CORE ROUND CABLE



1.0 SQ MM
TWO CORE ROUND CABLE

1.5 SQ MM
TWO CORE ROUND CABLE

SANDING PAD



7" PAD
DRYWALL SANDER PAD

4" FLAP DISCS



For WOOD & METAL
Grit : #60 #80 #120

For STAINLESS STEEL
Grit : #60 #80 #120

5" FLAP DISCS



For WOOD & METAL
Grit : #60 #80 #120

GRINDING WHEEL



4" & 5"
G.D. WHEEL (BLACK)

4" & 5"
G.D. WHEEL (GREEN)

G.C. & W.A. WHEEL



Available No. 46, 60, 80, 120
4" G.C. WHEEL

Available No. 46, 60, 80, 120
4" W.A. WHEEL

CUTTING WHEELS



4" & 5"
CUTTING WHEEL (GREEN)

14" CUTTING WHEEL
SINGLE NET & DOUBLE NET

TCT BLADES



For ALUMINIUM CUTTING
PREMIUM TCG TOOTH

For WOOD CUTTING
PREMIUM ATB TOOTH

M.C. BLADES

EXTRA PREMIUM QUALITY



Available In : 4", 5", 6", 7" & 8"
HOT PRESS MARBLE CUTTING BLADES

RING SAW BLADES



410 MM
CONCRETE RING SAW BLADE

520 MM
CONCRETE RING SAW BLADE

**SMOOTH WALLS
ZERO HASSLE**



PROFESSIONAL POWER TOOLS

»—— **PERFORMANCE, RELIABILITY & PRECISION** ——«

**MAKE TOUGH
JOBS EASY**





DAMIER

E-mail : damiertools@gmail.com

Website : www.damiertools.com

© Copy Rights Reserved